



## Ascom i63 VoWiFi Mobility User Manual

[Home](#) » [Ascom](#) » [Ascom i63 VoWiFi Mobility User Manual](#) 

### Contents

- [1 User Manual](#)
- [2 Ascom i63 VoWiFi Mobility with confidence](#)
  - [2.1 Ascom i63 VoWiFi: Mobility with confidence](#)
  - [2.2 Read More About This Manual & Download PDF:](#)
- [3 Related Posts](#)

**User Manual**



### **Ascom i63 VoWiFi Mobility with confidence**

The stylish yet robust enterprise-grade handset for reliable mobile communication and coordination

#### **True VoWiFi performance in three models**

The new Ascom i63 combines the reliability, ease-of-management and performance of VoWiFi with enterprise-grade ruggedness, ergonomics and stylish design. Available in three models (Talker, Messenger, Protector), the Ascom i63 VoWiFi delivers exceptional network and roaming performance.

#### **Bluetooth and locating**

All models are Bluetooth enabled, allowing wireless headsets to be used for handsfree operation. The Protector model is compatible with IR and LF. Messenger and Protector models also support Bluetooth Low Energy location systems, WLAN access points, Cisco MSE and AiRISTA Flow RTLS location systems.

Built to work. And work. And work.  
A 920mAh battery provides up to  
100 hours of stand-by and ten hours

of speech time. The sturdy body is dust and water resistant to IP44 standard, and can be safely cleaned with common disinfectants.

Easy to use. Easy to manage.

Easy to secure.

Rugged durability, centralized management and OTA updates mean a low

Total Cost of Ownership and easy

administration. Various authentication and encryption methods provide robust enterprise-grade security.

■ Reliable VoWiFi performance and seamless roaming

■ Easy to use

■ Smooth device management



## Ascom i63 VoWiFi: Mobility with confidence

### ■ Enterprise-grade VoWiFi performance and seamless roaming.

Supports four network systems, with auto and manual selection. Seamless roaming is optimized with 802.11r, 802.11K, and opportunistic key and pairwise master (PMKSA) caching.

■ **Easy to use.** Bluetooth-enabled headset allows handsfree operation. Large, easy-to-read screen and a light weight (only 135g / 4.8oz) help make the Ascom i63 comfortable to use for even the longest shifts.

■ **Smooth device management.** Enterprise-grade centralized management lets administrators configure all settings remotely. Validated interoperability with major PBX and Wi-Fi vendors.

■ **Protects users and colleagues.** The Ascom i63 Protector model features push-button, man-down and no-movement alarms. Multiple device location methods are available for both the Protector and Messenger models.

■ **Mobility with confidence.** The Ascom i63 makes it easy to optimize workflow productivity. Features such as outstanding voice quality, a multilingual user interface, messaging capabilities and extensive phone book options help keep users connected to colleagues, events and mission-critical information.

## ASCOM i63 TECHNICAL SPECIFICATIONS

Overview

Dimensions (l × w × h): 137 × 52 × 21mm  
Weight: 135g (excl. clip) (4.8 oz)

### **Battery and charging**

Type: Li-polymer 3.7V 920mAh  
Speech time: 10h  
Stand-by time: 100h  
Charge time: <4h

### **Connectors**

Multi-purpose connector: With USB for fast software download, configuration, and battery charging.  
Headset connector: Standard 3.5mm

### **Languages**

Menu and message languages (20): Arabic, Chinese (simplified), Czech, Danish, Dutch, English, Finnish, French, German, Greek, Hungarian, Italian, Norwegian, Polish, Portuguese (Brazilian), Russian, Slovak, Spanish, Swedish, and Turkish

### **Phonebook**

Central phone book: Unlimited entries  
Company phone book: 1000 entries  
Local phone book: 250 entries

### **Telephony**

Indication:

- Illuminated display
- Vibrator
- 14 ring signals
- Aggressive ring signal
- 5 beep signals
- 3 user defined custom sounds

### **Call list storage capacity:**

#### **Voice codecs:**

25 calls (received, dialled and missed) with time stamp

Opus Wideband, G.711 A-law (EU), G.711 u-law (US), G.722, G.729, G.729A,

G.729B, and G.729AB

#### **Location and alarm**

Location types (Messenger and Protector):

IR, LF (Protector) BLE  
Associated WLAN access point (AP)  
Cisco MSE

AiRIST  
A Flow RTLS

### **Alarm types (Protector):**

Supported version:

Push button alarm  
Man-down and no-movement alarms  
Acoustic Location Signal (ALS)  
Automatic emergency call after alarm

### **Bluetooth**

Supported version: 5.0  
Supported profiles: Headset and handsfree

### **WLAN**

Quality of Service (QoS): WMM, TSPEC-based CAC  
Supported networks: 802.11 a/b/g/n/ac (MCS0-7)

### **Security**

Security standard: 802.11i, 802.11w  
Encryption methods: AES-CCMP, TKIP  
Authentication methods:

- Open
- WPA/WPA2-PSK
- PEAP-MSCHAPv2
- EAP-TLS

### **Roaming enhancement**

- 802.11r, 802.11k
- Opportunistic Key Caching
- PMKSA caching

### **Licenses**

WH2-L01: Upgrade license Ascom i63 Talker to Messenger  
WH2-L02: Upgrade license Ascom i63 Talker to Protector (Only alarm button functionality)  
WH2-L03: Upgrade license Ascom i63 Messenger to Protector (Only alarm button functionality)

### **Ascom Holding AG**

Zugerstrasse 32 CH-6340 Baar Switzerland  
info@ascom.com Phone: +41 41 544 78 00  
ascom.com

**Read More About This Manual & Download PDF:**

Ascom i63 VoWiFi Mobility User Manual – [Optimized PDF](#)  
Ascom i63 VoWiFi Mobility User Manual – [Original PDF](#)

Manuals+